

HEINRICH GERS-BARLAG ET AL.
USSN 08/987,468
REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
CORRECTED AMENDMENT OF MARCH 17, 2004

Amendments to the Claims:


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1.-30. (Canceled)

31. (New) A water-resistant cosmetic or dermatological sunscreen formulation in the form of a water-in-oil emulsion (W/O), said formulation comprising the following components:

- a) one or more UV filter substances comprising one or more sulphonic acid groups or sulphonate groups;
- b) one or more surface active substances selected from the group consisting of surface active substances having the structural formula:



wherein

HEINRICH GERS-BARLAG ET AL.
USSN 08/987,468
REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
CORRECTED AMENDMENT OF MARCH 17, 2004

k represents 2 to 8; and

R₁, R₂ and R₃ independently represent a member selected from the group consisting of:

- i) hydrogen, except that at least one of R₁, R₂ and R₃ must be other than hydrogen;
- ii) branched or unbranched, saturated or unsaturated aliphatic radicals; and
- iii) branched or unbranched, saturated or unsaturated acyl radicals, wherein the acids on which said acyl radicals are based are independently selected from the group consisting of:
 - 1) branched or unbranched, saturated or unsaturated aliphaticcarboxylic acids having from 8 to 24 carbon atoms, in which up to 3 aliphatic hydrogen atoms can be substituted by hydroxyl groups; and


HEINRICH GERS-BARLAG ET AL.

USSN 08/987,468

REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003

CORRECTED AMENDMENT OF MARCH 17, 2004

2) polyester radicals of the formula:



wherein

R' is selected from the group consisting of
branched and unbranched alkyl groups
having from 1 to 20 carbon atoms;


R" is selected from the group consisting of branched and unbranched alkylene groups having from 1 to 20 carbon atoms; and

HEINRICH GERS-BARLAG ET AL.
 USSN 08/987,468
 REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
 CORRECTED AMENDMENT OF MARCH 17, 2004


b represents 0 to 200; and

c) one or more cosmetically or pharmaceutically acceptable
 superficially hydrophobic inorganic pigments.

32. (New) The water-resistant cosmetic or dermatological sunscreen formulation according to claim 31, wherein R_1 , R_2 and R_3 independently represent a member selected from the group consisting of hydrogen, methyl, ethyl, propyl, isopropyl, myristoyl, palmitoyl, stearoyl, eicosoyl, compounds of the formula:



wherein n is from 10 to 20, and compounds of the formula:



HEINRICH GERS-BARLAG ET AL.
USSN 08/987,468
REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
CORRECTED AMENDMENT OF MARCH 17, 2004

wherein m is from 9 to 19.

33. (New) The water-resistant cosmetic or dermatological sunscreen formulation according to claim 32, wherein at least one of R_1 , R_2 or R_3 represents isostearoyl.

34. (New) The water-resistant cosmetic or dermatological sunscreen formulation according to claim 31, wherein component b) is selected from the group consisting of polyglyceryl-4 isostearate, polyglyceryl-3 diisostearate, polyglyceryl-2 sesquiisostearate and polyglyceryl-2 polyhydroxystearate.

35. (New) (New) The water-resistant cosmetic or dermatological sunscreen formulation according to claim 34, wherein component b) is polyglyceryl-4 isostearate.

36. (New) The water-resistant cosmetic or dermatological sunscreen formulation according to claim 31, wherein component b) is present in said formulation in a concentration of 0.005 to 50% by weight based on the total weight of the formulation.


37. (New) The water-resistant cosmetic or dermatological sunscreen formulation according to claim 36, wherein component b) is present in said formulation in a concentration of 0.5 to 10% by weight based on the total weight of the formulation.

HEINRICH GERS-BARLAG ET AL.
USPN 08/987,468
REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
CORRECTED AMENDMENT OF MARCH 17, 2004

38. (New) The water-resistant cosmetic or dermatological sunscreen formulation according to claim 37, wherein component b) is present in said formulation in a concentration of 1.0 to 5% by weight based on the total weight of the formulation.

39. (New) A method of achieving or increasing the water resistance of a cosmetic or dermatological sunscreen in the form of a water-in-oil (W/O) emulsion, said formulation comprising the following components:

- a) one or more UV filter substances comprising one or more sulphonic acid groups or sulphonate groups;
- b) one or more surface active substances selected from the group consisting of surface active substances having the structural formula:



wherein

HEINRICH GERS-BARLAG ET AL.
USSN 08/987,468
REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
CORRECTED AMENDMENT OF MARCH 17, 2004


k represents 2 to 8; and

R₁, R₂ and R₃ independently represent a member selected from the group consisting of:

- i) hydrogen, except that at least one of R₁, R₂ and R₃ must be other than hydrogen;
- ii) branched or unbranched, saturated or unsaturated aliphatic radicals; and
- iii) branched or unbranched, saturated or unsaturated acyl radicals, wherein the acids on which said acyl radicals are based are independently selected from the group consisting of:
 - 1) branched or unbranched, saturated or unsaturated aliphaticcarboxylic acids having from 8 to 24 carbon atoms, in which up to 3 aliphatic hydrogen atoms can be substituted by hydroxyl groups; and

HEINRICH GERS-BARLAG ET AL.
 USSN 08/987,468
 REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
 CORRECTED AMENDMENT OF MARCH 17, 2004

2) polyester radicals of the formula:



wherein

R' is selected from the group consisting of
 branched and unbranched alkyl groups
 having from 1 to 20 carbon atoms;

R'' is selected from the group consisting of
 branched and unbranched alkylene groups
 having from 1 to 20 carbon atoms; and

HEINRICH GERS-BARLAG ET AL.
USSN 08/987,468
REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
CORRECTED AMENDMENT OF MARCH 17, 2004


b represents 0 to 200; and

c) one or more cosmetically or pharmaceutically acceptable
superficially hydrophobic inorganic pigments;

said method comprising incorporating a superficially hydrophobic inorganic pigment into the oil
phase of said W/O emulsion.


40. (New) The method according to claim 39, further comprising incorporating a
hydrophilic inorganic pigment into the water phase of said W/O emulsion.

41. (New) The method according to claim 39, wherein R₁, R₂ and R₃ independently
represent a member selected from the group consisting of hydrogen, methyl, ethyl, propyl,
isopropyl, myristoyl, palmitoyl, stearoyl, eicosoyl, compounds of the formula:



wherein n is from 10 to 20, and compounds of the formula:

HEINRICH GERS-BARLAG ET AL.
USSN 08/987,468
REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
CORRECTED AMENDMENT OF MARCH 17, 2004



wherein m is from 9 to 19.

42. (New) The method according to claim 41, wherein at least one of R₁, R₂ or R₃ represents isostearoyl.

43. (New) The method according to claim 41, wherein component b) is selected from the group consisting of polyglyceryl-4 isostearate, polyglyceryl-3 diisostearate, polyglyceryl-2 sesquiisostearate and polyglyceryl-2 polyhydroxystearate.

44. (New) The method according to claim 43, wherein component b) is polyglyceryl-4 isostearate.

45. (New) The method according to claim 39, wherein component b) is present in said formulation in a concentration of 0.005 to 50% by weight based on the total weight of the formulation.

HEINRICH GERS-BARLAG ET AL.
USSN 08/987,468
REPLY TO THE OFFICE ACTION DATED APRIL 8, 2003
CORRECTED AMENDMENT OF MARCH 17, 2004

46. (New) The method according to claim 45, wherein component b) is present in said formulation in a concentration of 0.5 to 10% by weight based on the total weight of the formulation.

47. (New) The method according to claim 46, wherein component b) is present in said formulation in a concentration of 1.0 to 5% by weight based on the total weight of the formulation.

48. (New) A method of protecting skin from the damaging effects of sunlight, said method comprising applying to said skin an effective amount therefor of a cosmetic or dermatological formulation according to claim 31.